Subject Index (Volumes 46-48, 1991)

AMP

Malliaros DP, Kozwich DL, Jahngen GE

Purification and characterization of developmentally regulated AMP deaminase from *Dictyostelium discoideum*, 46:153-160

Acrosome-less spermatozoa

Heimann P. Laage S. Jockusch H

Defect of sperm assembly in a neurological mutant of the mouse, wobbler (WR), 47:77-83

Actins

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF

Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

O'Hare MJ, Ormerod MG, Monaghan P, Lane E3, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209–221

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Activation

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of inter-chromatinlike granules, 48:67–74

Acute myelogenous leukemia

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127-135

Adrenoceptors

Wobus AM, Wallukat G, Hescheler J

Pluripotent mouse embryonic stem cells are able to differentiate into cardiomyocytes expressing chronotropic responses to adrenergic and cholinergic agents and Ca² channel blockers, 48:173–182

Aggregation

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161–166

Aging

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99-105

Amastigote

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15–21

Ambystoma

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Amphibia

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Winning RS, Bols NC, Heikkila JJ

Tunicamycin-inducible polypeptide synthesis during *Xenopus laevis* embryogenesis, 46:167–172

Amphibian embryogenesis (see Embryogenesis)

Aromatasa

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Picau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9-17

Arteries

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Atherosklerosis

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Avolot

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Basal lamina

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Basement membrane

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Blastocele fluid

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Blastocysts

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Blood vessels

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Bone marrow

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Bone metastasis

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115-125

Brain

Laurie GW, Stone CM, Yamada Y

Elevated 32-kDa LBP and low laminin mRNA expression in developing mouse cerebrum, 46:173–179

Ca2+ channels

Wobus AM, Wallukat G, Hescheler J

Pluripotent mouse embryonic stem cells are able to differentiate into cardiomyocytes expressing chronotropic responses to adrenergic and cholinergic agents and Ca² channel blockers, 48:173–182

Cadherins

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47: 29-36

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Calbindin

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69-75

Calbindin mRNA

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69-75

Calcium

Tirlapur UK, Gross J, Nanjundiah V

Spatial variation of sequestered calcium in the multicellular stage of *Dictyostelium discoideum* as assayed by chlortetracycline fluorescence, 48:137–146

Calcium effects

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37-48

cAMP

Bominaar AA, Van Dijken P, Draijer R, Van Haastert JM Developmental regulation of the inositol 1,4,5-trisphosphate phosphatases in *Dictyostelium discoideum*, 46:1–5

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in *Dictyostelium discoideum*, 47:1-7

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161-166

Camptothecin

Ling Y-H, Tseng MT, Nelson JA

Differentiation induction of human promyelocytic leukemia cells by 10-hydroxycamptothecin, a DNA topoisomerase I inhibitor, 46:135–141

Carbonic anhydrase

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β -globin genes, 47:135–141

Cardiac muscle

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells, 46:51–60

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Cardiac-lethal mutant

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129-134

Cardiomyocytes

Wobus AM, Wallukat G, Hescheler J

Pluripotent mouse embryonic stem cells are able to differentiate into cardiomyocytes expressing chronotropic responses to adrenergic and cholinergic agents and Ca² channel blockers, 48:173–182

Cartilage

Bashey RI, Iannotti JP, Rao VH, Reginato AM, Jimenez SA Comparison of morphological and biochemical characteristics of cultured chondrocytes isolated from proliferative and hypertrophic zones of bovine growth plate cartilage, 46:199–207

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Cartilage formation

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Cell adhesion

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Cell adhesion molecules

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Cell aggregation

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells. 46:51–60

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in *Dictyostelium discoideum*, 47:1-7

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161-166

Cell cell interaction

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161-166

Cell coupling

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Cell culture

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Cell death

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Cell differentiation in vitro

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Cell junctions

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Cell positioning

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Cell sorting

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209-221

Cell surface

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Cell surface antigen

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Cell surface molecules

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

Cell transformation

Hasegawa T, Hara E, Takehana K, Nakada S, Oda K, Kawata M, Kimura H, Sekiya S

A transient decrease in *N-myc* expression and its biological role during differentiation of human embryonal carcinoma cells, 47:107–117

Cell-type-specific expression

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β -globin genes, 47:135–141

Central nervous system

Laurie GW, Stone CM, Yamada Y

Elevated 32-kDa LBP and low laminin mRNA expression in developing mouse cerebrum, 46:173-179

Cerebrum

Laurie GW, Stone CM, Yamada Y

Elevated 32-kDa LBP and low laminin mRNA expression in developing mouse cerebrum, 46:173–179

Chemical carcinogenesis

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF

Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Chicken

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69–75

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49– 55

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann T

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77-87

Weniger J-P, Chouraqui J, Zeis A

Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Chicken development

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:60-75

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Chicken embryogenesis (see Embryogenesis)

Chicken heart

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Chimeras

Hanaoka K, Hayasaka M, Uetsuki T, Fujisawa-Sehara A, Nabeshima YI

A stable cellular marker for the analysis of mouse chimeras: the bacterial chloramphenicol acetyltransferase gene driven by the human elongation factor 1α promoter, 48:183-189

Hanaoka K, Hayasaka M, Noguchi T, Kato Y

The stem cells of a primordial germ cell-derived teratocarcinoma have the ability to form viable mouse chimeras, 48:83-87

Chloramphenicol acetyl transferase (CAT)

Hanaoka K, Hayasaka M, Uetsuki T, Fujisawa-Sehara A, Nabeshima YI

A stable cellular marker for the analysis of mouse chimeras: the bacterial chloramphenicol acetyltransferase gene driven by the human elongation factor 1α promoter, 48:183-189

Chlortetracycline

Tirlapur UK, Gross J, Nanjundiah V

Spatial variation of sequestered calcium in the multicellular stage of *Dictyostelium discoideum* as assayed by chlortetracycline fluorescence, 48:137–146

Chondrocytes

Bashey RI, Iannotti JP, Rao VH, Reginato AM, Jimenez SA Comparison of morphological and biochemical characteristics of cultured chondrocytes isolated from proliferative and hypertrophic zones of bovine growth plate cartilage, 46:199–207

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61–68

Chondrogenesis

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Choriocarcinoma

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Chronification

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Collagens

Bashey RI, Iannotti JP, Rao VH, Reginato AM, Jimenez SA Comparison of morphological and biochemical characteristics of cultured chondrocytes isolated from proliferative and hypertrophic zones of bovine growth plate cartilage, 46:199–207

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61–68

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Collecting ducts

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Colorectal carcinoma cells

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Common acute lymphoblastic leukaemia antigen

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209-221

Cornea

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Corneal endothelium

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Cornification

Regnier M, Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Creatine kinase

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Crystallins

Head MW, Peter A, Clayton RM

Evidence for the extralenticular expression of members of the β -crystallin gene family in the chick and a comparison with δ -crystallin during differentiation and transdifferentiation, 48:147–156

Tréton JA, Jacquemin E, Courtois Y, Jeanny J-C

Differential localization by in situ hybridization of specific crystallin transcripts during mouse lens development, 47:143–147

Cytochrome-P450 aromatase

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Cytokeratins

Carette MJM, Lane EB, Ferguson MWJ

Differentiation of mouse embryonic palatal epithelium in culture: selective cytokeratin expression distinguishes between oral, medial edge and nasal epithelial cells, 47:149–161

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L

Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209-221

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of inter-chromatinlike granules, 48:67-74

Regnier M, Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Cytoskeleton

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19–27

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

DNA binding proteins

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β -globin genes, 47:135–141

Deaminase

Malliaros DP, Kozwich DL, Jahngen GE

Purification and characterization of developmentally regulated AMP deaminase from *Dictyostelium discoideum*, 46:153–160

Descemet's membrane

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Desmin

Baldwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A

Desmin expression in fibroblasts of murine periovular granuloma during liver *Schistosoma mansoni* infection, 46:89–95

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF

Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Desmocollins

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Desmosomes

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Dexamethasone

Wu H, Scher BM, Chu CL, Leonard M, Olmedo R, Scher GS, Stecker S, Scher W, Waxman S

Reduction in lactate accumulation correlates with differentiationinduced terminal cell division of leukemia cells, 48:51-58

Dictyostelium

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Bominaar AA, Van Dijken P, Draijer R, Van Haastert JM Developmental regulation of the inositol 1,4,5-trisphosphate phos-

phatases in Dictyostelium discoideum, 46:1-5

Harwood AJ, Early AE, Jermyn KA, Williams J Unexpected localisation of cells expressing a prespore marker of Dictyostelium discoideum, 46:7-13

Malliaros DP, Kozwich DL, Jahngen GE

Purification and characterization of developmentally regulated AMP deaminase from *Dictyostelium discoideum*, 46:153-160

Tirlapur UK, Gross J, Nanjundiah V

Spatial variation of sequestered calcium in the multicellular stage of *Dictyostelium discoideum* as assayed by chlortetracycline fluorescence, 48:137–146

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in *Dictyostelium discoideum*, 47:1-7

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161-166

Differentiation of stratified epithelia

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69-75

Dimethylsulfoxide

Wu H, Scher BM, Chu CL, Leonard M, Olmedo R, Scher GS, Stecker S, Scher W, Waxman S

Reduction in lactate accumulation correlates with differentiationinduced terminal cell division of leukemia cells, 48:51-58

EGF

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Ectoderm

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Ectomesenchymal cells

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Elongation factor 1 a

Hanaoka K, Hayasaka M, Uetsuki T, Fujisawa-Sehara A, Nabeshima YI

A stable cellular marker for the analysis of mouse chimeras: the bacterial chloramphenicol acetyltransferase gene driven by the human elongation factor 1α promoter, 48:183-189

Embryo cloning

First NL, Prather RS

Genomic potential in mammals, 48:1-8

Embryogenesis (amphibian)

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Winning RS, Bols NC, Heikkila JJ

Tunicamycin-inducible polypeptide synthesis during *Xenopus laevis* embryogenesis, 46:167–172

Embryogenesis (chicken)

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Head MW, Peter A, Clayton RM

Evidence for the extralenticular expression of members of the β -crystallin gene family in the chick and a comparison with δ -crystallin during differentiation and transdifferentiation, 48:147–156

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19–27

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomes enchymal cells, 48:9-16

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Weniger J-P, Chouraqui J, Zeis A

Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Embryogenesis (mammalian)

Baidwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Carette MJM, Lane EB, Ferguson MWJ

Differentiation of mouse embryonic palatal epithelium in culture: selective cytokeratin expression distinguishes between oral, medial edge and nasal epithelial cells, 47:149–161

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157-172

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Laurie GW, Stone CM, Yamada Y

Elevated 32-kDa LBP and low laminin mRNA expression in developing mouse cerebrum, 46:173-179

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells, 46:51–60

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Redemann-Fibi B, Schuermann M, Müller R

Stage and tissue-specific expression of fosB during mouse development, 46:43-49

Tréton JA, Jacquemin E, Courtois Y, Jeanny J-C

Differential localization by in situ hybridization of specific crystallin transcripts during mouse lens development, 47:143–147

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Embryonal carcinoma cells

Astigiano S, Barkai U, Abarzua P, Tan S, Harper MI, Sherman MI

Changes in gene expression following exposure of nulli-SCC1 murine embryonal carcinoma cells to inducers of differentiation: characterization of a down-regulated mRNA, 46:61–67

Hasegawa T, Hara E, Takehana K, Nakada S, Oda K, Kawata M, Kimura H, Sekiya S

A transient decrease in *N-myc* expression and its biological role during differentiation of human embryonal carcinoma cells, 47:107–117

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells, 46:51–60

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

Embryonal carcinomas

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Embryonic cell cycle

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of inter-chromatinlike granules, 48:67–74

Endocardial cells

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Endoderm cells

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells, 46:51–60

Endodermal sinus tumors

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Endothelium

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Entactir

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Enterocytes

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69–75

Epicardium

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Epidermal differentiation

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Regnier M, Darmon M

1,25-Dihydroxyvitamin D_3 stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Epidermis

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L

Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Epithelia

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L

Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Epithelial differentiation

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25–31

Epithelial membrane antigen

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209–221

Epithelial-mesenchymal interactions

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Erythroleukemic cells

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β -globin genes, 47:135–141

Erythropoiesis

Ma X. Fraser P. Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β -globin genes, 47:135–141

Estradiol secretion

Weniger J-P, Chouraqui J, Zeis A

Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Estrogens

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69-75

Extracellular matrix

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV

Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115-125

Eye

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Tréton JA, Jacquemin E, Courtois Y, Jeanny J-C

Differential localization by in situ hybridization of specific crystallin transcripts during mouse lens development, 47:143–147

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Eye development

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development. 48:157–172.

Tréton JA, Jacquemin E, Courtois Y, Jeanny J-C

Differential localization by in situ hybridization of specific crystallin transcripts during mouse lens development, 47:143–147

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Female genital tract-mammalian

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Fertilization

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of interchromatinlike granules, 48:67-74

Fibroblasts

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A

Desmin expression in fibroblasts of murine periovular granuloma during liver Schistosoma mansoni infection, 46:89-95

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199-208

Fibronectin

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97-103

Filaggrin

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in Ichthyosis vulgaris, 48:43-50

Flow cytometry

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209-221

fos

Redemann-Fibi B, Schuermann M, Müller R

Stage and tissue-specific expression of fosB during mouse development, 46:43-49

Gangliosides

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187-198

Gene expression

Astigiano S, Barkai U, Abarzua P, Tan S, Harper MI, Sherman

Changes in gene expression following exposure of mulli-SCCI murine embryonal carcinoma cells to inducers of differentiation: characterization of a down-regulated mRNA, 46:61-67

Head MW, Peter A, Clayton RM

Evidence for the extralenticular expression of members of the β crystallin gene family in the chick and a comparison with δ -crystallin during differentiation and transdifferentiation, 48:147-156

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes,

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β-globin genes, 47:135-141

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17-

Redemann-Fibi B, Schuermann M, Müller R

Stage and tissue-specific expression of fosB during mouse development, 46:43-49

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF

Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127-135

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in Dictyostelium discoideum, 47:1-7

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of Dictyostelium discoideum gene regulated by secreted factors but not by cAMP, 46:161-166

Genomic reprogramming

First NL, Prather RS

Genomic potential in mammals, 48:1-8

Germ cell tumors

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff

A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191-198

Germ cells

Hanaoka K, Hayasaka M, Noguchi T, Kato Y

The stem cells of a primordial germ cell-derived teratocarcinoma have the ability to form viable mouse chimeras, 48:83-87

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75-82

Germ layer restriction

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99-105

Glia cells

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77-87

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β-globin genes, 47:135-141

Glucose-regulated protein

Winning RS, Bols NC, Heikkila JJ

Tunicamycin-inducible polypeptide synthesis during Xenopus laevis embryogenesis, 46:167-172

Glutathione

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Glycolysis

Wu H, Scher BM, Chu CL, Leonard M, Olmedo R, Scher GS, Stecker S, Scher W, Waxman S

Reduction in lactate accumulation correlates with differentiationinduced terminal cell division of leukemia cells, 48:51-58

Glycoproteins

Prince JT. Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Gonad formation

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Weniger J-P, Chouragui J, Zeis a Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Growth factors

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Hadacidin

Malliaros DP, Kozwich DL, Jahngen GE

Purification and characterization of developmentally regulated AMP deaminase from *Dictyostelium discoideum*, 46:153-160

Heart development

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Heart differentiation

Baldwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Hematopoiesis

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Histamine

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Homeostasis

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Hormonal control of tissue differentiation

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

HpPG

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Human breast

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209–221

Human colon cancer cells

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Human skin

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Hyalocytes

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Hydractinia

Leitz T. Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Hydrogen peroxide

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Hydroxycamptothecin

Ling Y-H. Tseng MT. Nelson JA

Differentiation induction of human promyelocytic leukemia cells by 10-hydroxycamptothecin, a DNA topoisomerase I inhibitor, 46:135-141

Hydrozoa

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Hypophysectomy

Weniger J-P, Chouraqui J, Zeis A

Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Ichthyosis vulgaris

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Immune deficient mice

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115-125

Induction

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Inflammation

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Inositol

Bominaar AA, Van Dijken P, Draijer R, Van Haastert JM Developmental regulation of the inositol 1,4,5-trisphosphate phosphatases in *Dictyostelium discoideum*, 46:1–5

Inositol phosphatases

Bominaar AA, Van Dijken P, Draijer R, Van Haastert JM Developmental regulation of the inositol 1,4,5-trisphosphate phosphatases in *Dictyostelium discoideum*, 46:1–5

Interchromatin granules

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of interchromatinlike granules, 48:67–74

Intermediate filaments

Baldwin HS, Jensen KL Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A

Desmin expression in fibroblasts of murine periovular granuloma during liver *Schistosoma mansoni* infection, 46:89–95

Carette MJM, Lane EB, Ferguson MWJ

Differentiation of mouse embryonic palatal epithelium in culture: selective cytokeratin expression distinguishes between oral, medial edge and nasal epithelial cells, 47:149–161

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L

Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF

Rat model of the human "Triton" tumor: direct genetic evidence

for the myogenic differentiation capacity of schwannoma cells using the mutant neu gene as a cell lineage marker, 48:33-42

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson RA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209-221

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of inter-chromatinlike granules, 48:67–74

Regnier M. Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/:C13) cells can express striated muscle type proteins, 46:105-115

Intestinal differentiation

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69-75

Intestine

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69–75

Isoenzymes

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Junctions

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Keratinization

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L

Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37-48

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Keratinocyte culture

Regnier M, Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Keratinocytes

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37-48

Regnier M, Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Keratins

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Regnier M, Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Kidney development

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Kidney epithelium

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Kidney formation

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Laminin

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157-172

Laurie GW, Stone CM, Yamada Y

Elevated 32-kDa LBP and low laminin mRNA expression in developing mouse cerebrum, 46:173–179

Laminin binding protein

Laurie GW, Stone CM, Yamada Y

Elevated 32-kDa LBP and low laminin mRNA expression in developing mouse cerebrum, 46:173–179

Lectin gold labeling

Heimann P, Laage S, Jockusch H

Defect of sperm assembly in a neurological mutant of the mouse, wobbler (WR), 47:77-83

Leishmania

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15–21

Lens

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Head MW, Peter A, Clayton RM

Evidence for the extralenticular expression of members of the β -crystallin gene family in the chick and a comparison with δ -crystallin during differentiation and transdifferentiation, 48:147–156

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Tréton JA, Jacquemin E, Courtois Y, Jeanny J-C

Differential localization by in situ hybridization of specific crystallin transcripts during mouse lens development, 47:143–147

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Lens development

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Leucocytes

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Leukemia

Ling Y-H, Tseng MT, Nelson JA

Differentiation induction of human promyelocytic leukemia cells by 10-hydroxycamptothecin, a DNA topoisomerase I inhibitor, 46:135-141

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Leukemia cell lines

Wu H, Scher BM, Chu CL, Leonard M, Olmedo R, Scher GS, Stecker S, Scher W, Waxman S

Reduction in lactate accumulation correlates with differentiationinduced terminal cell division of leukemia cells, 48:51-58

Limb bud

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55.

Limb development

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Liver pathology

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A Desmin expression in fibroblasts of murine periovular granuloma during liver *Schistosoma mansoni* infection, 46:89–95

Lymphocytes

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Macrophages

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15–21

Mammalian embryogenesis (see Embryogenesis)

Mammary gland

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson RA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209–221

Mammary gland epithelial cells in culture

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson BA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209–221

Mandible

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Mandibular cells

Mina M, Upholt WB, Kollar EJ

Stage-related chondrogenic potential of avian mandibular ectomesenchymal cells, 48:9-16

Mesenchymal induction

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107-113

Mesenchymal-epithelial interactions

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Mesenchyme

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107-113

Mesoderm

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129–134

Mesoderm formation

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells, 46:51–60

Metamorphosis

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Metanephros

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Metastasis

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115–125

Microtubules

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15– 21

Microvessels

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Midblastula transition

Winning RS, Bols NC, Heikkila JJ

Tunicamycin-inducible polypeptide synthesis during *Xenopus laevis* embryogenesis, 46:167–172

Mitosis

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of inter-chromatinlike granules, 48:67–74

Molecules

Koch PJ, Goldschmidt MD, Walsh MJ, Zimbelmann R, Schmelz M, Franke WW

Amino acid sequence of bovine muzzle epithelial desmocollin derived from cloned cDNA: A novel subtype of desmosomal cadherins, 47:29–36

Morphogenesis

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Mouse embryonic stem cells

Wobus AM, Wallukat G, Hescheler J

Pluripotent mouse embryonic stem cells are able to differentiate into cardiomyocytes expressing chronotropic responses to adrenergic and cholinergic agents and Ca² channel blockers, 48:173–182

mRNA

Astigiano S, Barkai U, Abarzua P, Tan S, Harper MI, Sherman MI

Changes in gene expression following exposure of nulli-SCC1 murine embryonal carcinoma cells to inducers of differentiation: characterization of a down-regulated mRNA, 46:61–67

mRNA stability

Tréton JA, Jacquemin E, Courtois Y, Jeanny J-C

Differential localization by in situ hybridization of specific crystallin transcripts during mouse lens development, 47:143–147

Müllerian vagina

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Muscle proteins

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, $46\!:\!105\!-\!115$

mve

Hasegawa T, Hara E, Takehana K, Nakada S, Oda K, Kawata M, Kimura H, Sekiya S

A transient decrease in *N-myc* expression and its biological role during differentiation of human embryonal carcinoma cells, 47:107–117

Myelogenesis

Ling Y-H, Tseng MT, Nelson JA

Differentiation induction of human promyelocytic leukemia cells by 10-hydroxycamptothecin, a DNA topoisomerase I inhibitor, 46:135-141

Myoblasts

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Myocardium

Baldwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Smith SC, Armstrong JB

Heart development in normal and cardiac-lethal mutant axolotls: a model for the control of vertebrate cardiogenesis, 47:129-134

Myoepithelial cells

O'Hare MJ, Ormerod MG, Monaghan P, Lane EB, Gusterson RA

Characterization in vitro of luminal and myoepithelial cells isolated from the human mammary gland by cell sorting, 46:209-221

Myofibroblasts

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A

Desmin expression in fibroblasts of murine periovular granuloma during liver Schistosoma mansoni infection, 46:89-95

Myogenesis

Baldwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine

P19 embryonal carcinoma cells, 46:51–60

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant neu gene as a cell lineage marker, 48:33–42

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

Myosin

Baldwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Nasal mucosa

Carette MJM, Lane EB, Ferguson MWJ

Differentiation of mouse embryonic palatal epithelium in culture: selective cytokeratin expression distinguishes between oral, medial edge and nasal epithelial cells, 47:149–161

N-Cadherin

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Wheelock MJ, Knudsen KA

N-cadherin-associated proteins in chicken muscle, 46:35-42

N-CAM

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

N-ethyl-N-nitrosourea

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Nerve cell differentiation

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

Nerve sheath

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

neu

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Neural crest

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Neuroectoderm

Griffith CM, Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Neuroepithelial cells

Prince JT, Stallcup WB

Induction of NILE/L1 glycoprotein during neuronal differentiation of the embryonal carcinoma cell line EC1003, 46:187–198

Neuroepithelium

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

N-myc (see: myc)

Nuclear transfer

First NL, Prather RS Genomic potential in mammals, 48:1-8

Odontogenesis

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

Oestrogens (see Estrogens)

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9-17

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Olygosaccharides

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Oncogenes

Hasegawa T, Hara E, Takehana K, Nakada S, Oda K, Kawata M, Kimura H, Sekiya S

A transient decrease in *N-myc* expression and its biological role during differentiation of human embryonal carcinoma cells, 47:107-117

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF

Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Redemann-Fibi B, Schuermann M, Müller R

Stage and tissue-specific expression of fosB during mouse development, 46:43-49

Oral mucosa

Carette MJM, Lane EB, Ferguson MWJ

Differentiation of mouse embryonic palatal epithelium in culture: selective cytokeratin expression distinguishes between oral, medial edge and nasal epithelial cells, 47:149–161

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Oryzalin

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15– 21

Osseous metastasis

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115-125

Ovarectomy

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Ovarian differentiation

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Ovary

Weniger J-P, Chouraqui J, Zeis A

Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Oxidation

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Parasites

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15– 21

Pattern formation

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55 Tirlapur UK, Gross J, Nanjundiah V

Spatial variation of sequestered calcium in the multicellular stage of *Dictyostelium discoideum* as assayed by chlortetracycline fluorescence, 48:137–146

PDGF, Platelet-derived growth factor

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Peanut agglutinin

Heimann P, Laage S, Jockusch H

Defect of sperm assembly in a neurological mutant of the mouse, wobbler (WR), 47:77-83

Periovular granuloma

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A

Desmin expression in fibroblasts of murine periovular granuloma during liver Schistosoma mansoni infection, 46:89-95

Phosphoinositide

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Phosphorylation

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19–27

Leitz T. Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern. 47:119–127

Photoreceptor cells

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann T

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Pituitary gland

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Weniger J-P, Chouraqui J, Zeis A

Effect of partial decapitation (hypophysectomy) on 17β -estradiol secretion by the chick embryo ovary, 47:57-59

Polysialic acid

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Post-translational modification

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19–27

Precardiac mesoderm

Baldwin HS, Jensen KL, Solursh M

Myogenic cytodifferentiation of the precardiac mesoderm in the rat, 47:163-172

Preimplantation embryo

Plancha CE, Carmo-Fonseca M, David-Ferreira JF

Cytokeratin in early hamster embryogenesis and parthenogenesis: reorganization during mitosis and association with clusters of inter-chromatinlike granules, 48:67–74

Prespore cells

Harwood AJ, Early AE, Jermyn KA, Williams J

Unexpected localisation of cells expressing a prespore marker of Dictyostelium discoideum, 46:7-13

Prestall

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Primitive streak

Griffith CM. Sanders EJ

Effects of extracellular matrix components on the differentiation of chick embryo tail bud mesenchyme in culture, 47:61-68

Primordial germ cells

Hanaoka K, Hayasaka M, Noguchi T, Kato Y

The stem cells of a primordial germ cell-derived teratocarcinoma have the ability to form viable mouse chimeras, 48:83-87

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Progesterone

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Programmed cell death

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Proliferation

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Promastigotes

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15–21

Promyelocytes

Ling Y-H, Tseng MT, Nelson JA

Differentiation induction of human promyelocytic leukemia cells by 10-hydroxycamptothecin, a DNA topoisomerase I inhibitor, 46:135–141

Prostate cancer

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115-125

Prostate

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal

inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99-105

Proteoglycans

Mina M, Kollar EJ, Upholt WB

Temporal and spatial expression of genes for cartilage extracellular matrix proteins during avian mandibular arch development, 48:17–24

Stellrecht CM, Mars WM, Miwa H, Beran M, Saunders GF Expression pattern of a hematopoietic proteoglycan core protein gene during human hematopoiesis, 48:127–135

Protozoa

Chan MM-Y, Triemer RE, Fong D

Effect of the anti-microtubule drug oryzalin on growth and differentiation of the parasitic protozoan *Leishmania mexicana*, 46:15–21

Rapid-development-strain

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in *Dictyostelium discoideum*, 47:1-7

Regeneration

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Regulation of gene expression

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69–75

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161–166

Renal development

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Replication

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Respicification

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Reticuloendothelial system

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Retina

Dong L-J, Chung AE

The expression of the genes for entactin, laminin A, laminin B1 and laminin B2 in murine lens morphogenesis and eye development, 48:157–172

Head MW, Peter A, Clayton RM

Evidence for the extralenticular expression of members of the β -crystallin gene family in the chick and a comparison with δ -crystallin during differentiation and transdifferentiation, 48:147–156

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann T

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Retinoic acid binding proteins

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49– 55

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

Retinoic acid receptor

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Retinoic acids

Astigiano S, Barkai U, Abarzua P, Tan S, Harper MI, Sherman MI

Changes in gene expression following exposure of nulli-SCC1 murine embryonal carcinoma cells to inducers of differentiation: characterization of a down-regulated mRNA, 46:61–67

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

Retinoid

Maden M, Summerbell D, Maignan J, Darmon M, Shroot B The respecification of limb pattern by new synthetic retinoids and their interaction with cellular retinoic acid-binding protein, 47:49–55

Retinol

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

Retinol binding proteins

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

RF-amide

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

RGD

Del Buono R, Pignatelli M, Bodmer WF, Wright NA

The role of the arginine-glycine-aspartic acid-directed cellular binding to type I collagen and rat mesenchymal cells in colorectal tumour differentiation, 46:97–103

Rhabdomyoblasts

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Rodent

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

S-100 protein

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Sarcomeres

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Schistosoma mansoni

Bolmont Ch, Andujar M, Peyrol S, Grimaud J-A Desmin expression in fibroblasts of murine periovular granuloma during liver *Schistosoma mansoni* infection, 46:89–95

Schwann cells

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant neu gene as a cell lineage marker, 48:33–42

Schwannoma

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

SCIE

Wang M, Stearns ME

Isolation and characterization of PC-3 human prostatic tumor sublines which preferentially metastasize to select organs in S.C.I.D. mice, 48:115-125

Secretion

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161-166

Senescence

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Sex-reversal

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Sialic acid

Lackie PM, Zuber Ch, Roth J

Expression of polysialylated N-CAM during rat heart development, 47:85-98

Signal transduction

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Sinus vagina

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Skeletal muscle

Mummery ChL, van Achterberg TAE, van den Eijnden-van Raaij AJM, van Haaster L, Willemse A, de Laat SW, Piersma AH Visceral-endoderm-like cell lines induce differentiation of murine P19 embryonal carcinoma cells, 46:51–60

Skin

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43-50

Slime molds

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Bominaar AA, Van Dijken P, Draijer R, Van Haastert JM Developmental regulation of the inositol 1,4,5-trisphosphate phosphatases in *Dictyostelium discoideum*, 46:1–5

Harwood AJ, Early AE, Jermyn KA, Williams J

Unexpected localisation of cells expressing a prespore marker of Dictyostelium discoideum, 46:7-13

Malliaros DP, Kozwich DL, Jahngen GE

Purification and characterization of developmentally regulated AMP deaminase from *Dictyostelium discoideum*, 46:153–160

Tirlapur UK, Gross J, Nanjundiah V

Spatial variation of sequestered calcium in the multicellular stage of *Dictyostelium discoideum* as assayed by chlortetracycline fluorescence, 48:137–146

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in *Dictyostelium discoideum*, 47:1–7

Yoshida H, Yamada Y, Okamoto K

DC6, a novel type of *Dictyostelium discoideum* gene regulated by secreted factors but not by cAMP, 46:161-166

Slug

Bühl B, MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Smooth muscle cells

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Spore formation

Harwood AJ, Early AE, Jermyn KA, Williams J

Unexpected localisation of cells expressing a prespore marker of Dictyostelium discoideum, 46:7-13

Squamous epithelia

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Stalk

Bühl B. MacWilliams HK

Cell sorting within the prestalk zone of *Dictyostelium discoideum*, 46:147-152

Stratified epithelia

Crowe DL, Hu L, Gudas J, Rheinwald JG

Variable expression of RAR β message in human oral and epidermal keratinocytes, relation to keratin 19 expression and keratinization potential, 48:199–208

Stratum corneum

Jensen PKA, Fey SJ, Larsen PM, Nørgård JOR, Bolund L Morphological differentiation and changes in polypeptide synthesis pattern during regeneration of human epidermal tissue developed in vitro, 47:37–48

Sulfation

Lagunowich LA, Grunwald GB

Tissue and age-specificity of post-translational modifications of N-cadherin during chick embryo development, 47:19-27

Surface carbohydrates

Yoshinaga K, Muramatsu H, Muramatsu T

Immunohistochemical localization of the carbohydrate antigen 4C9 in the mouse embryo: a reliable marker of mouse primordial germ cells, 48:75–82

Tamoxifen

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9-17

Temperature dependence of sexual differentiation

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Temperature sensitive mutant

Tsang A, Kent G, Coukell MB

Biochemical and genetic characterization of a rapid-development strain in *Dictyostelium discoideum*, 47:1-7

Tenascin

Tucker RP

The distribution of J1/tenascin and its transcript during the development of the avian cornea, 48:59-66

Teratocarcinoma

Hanaoka K, Hayasaka M, Noguchi T, Kato Y

The stem cells of a primordial germ cell-derived teratocarcinoma have the ability to form viable mouse chimeras, 48:83-87

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Terminal differentiation

Manabe M, Sanchez M, Sun T-T, Dale BA

Interaction of filaggrin with keratin filaments during advanced stages of normal human epidermal differentiation and in *Ichthyosis vulgaris*, 48:43–50

Wegmann G, Huber, R, Zanolla E, Eppenberger HM, Wallimann T

Differential expression and localization of brain-type and mitochondrial creatine kinase isoenzymes during development of the chicken retina: Mi-CK as a marker for differentiation of photoreceptor cells, 46:77–87

Testicular differentiation

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Testicular tumors

Hanaoka K, Hayasaka M, Noguchi T, Kato Y

The stem cells of a primordial germ cell-derived teratocarcinoma have the ability to form viable mouse chimeras, 48:83-87

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Titin

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Tooth development

Mark MP, Bloch-Zupan A, Wolf C, Ruberte E, Ruch JV Involvement of cellular retinoic acid-binding proteins I and II (CRABPI and CRABPII) and of the cellular retinol-binding protein I (CRBPI) in odontogenesis in the mouse, 48:89–98

Topoisomerase 1

Ling Y-H, Tseng MT, Nelson JA

Differentiation induction of human promyelocytic leukemia cells by 10-hydroxycamptothecin, a DNA topoisomerase I inhibitor, 46:135-141

Transcriptional control

Ma X, Fraser P, Curtis PJ

A differentiation stage-specific factor interacts with mouse carbonic anhydrase form I gene and a conserved sequence in mammalian β -globin genes, 47:135–141

Transdifferentiation

Head MW, Peter A, Clayton RM

Evidence for the extralenticular expression of members of the β -crystallin gene family in the chick and a comparison with δ -crystallin during differentiation and transdifferentiation, 48:147–156

Transforming growth factor β

Perantoni AO, Williams CL, Lewellyn AL

Growth and branching morphogenesis of rat collecting duct anlagen in the absence of metanephrogenic mesenchyme, 48:107–113

Transgenic mice

Hanaoka K, Hayasaka M, Uetsuki T, Fujisawa-Sehara A, Nabeshima YI

A stable cellular marker for the analysis of mouse chimeras: the bacterial chloramphenicol acetyltransferase gene driven by the human elongation factor 1α promoter, 48:183-189

Transplacental carcinogenesis

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF

Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant *neu* gene as a cell lineage marker, 48:33–42

Triton tumor

Nikitin AYu, Lennartz K, Pozharisski KM, Rajewsky MF Rat model of the human "Triton" tumor: direct genetic evidence for the myogenic differentiation capacity of schwannoma cells using the mutant neu gene as a cell lineage marker, 48:33–42

Trophectoderm

Pierce GB, Parchment RE, Lewellyn AL

Hydrogen peroxide as a mediator of programmed cell death in the blastocyst, 46:181-186

Tropomyosin

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Tumor diagnosis

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Tunicamycin

Winning RS, Bols NC, Heikkila JJ

Tunicamycin-inducible polypeptide synthesis during *Xenopus laevis* embryogenesis, 46:167–172

Turtles

Dorizzi M, Mignot T-M, Guichard A, Desvages G, Pieau C Involvement of oestrogens in sexual differentiation of gonads as a function of temperature in turtles, 47:9–17

Ureteric bud

Perantoni AO, Dove LF, Williams CL

Induction of tubules in rat metanephrogenic mesenchyme in the absence of an inductive tissue, 48:25-31

Urogenital tract

Boutin EL, Battle E, Cunha GR

The response of female urogenital tract epithelia to mesenchymal inductors is restricted by the germ layer origin of the epithelium: prostatic inductions, 48:99–105

Vaginal epithelium

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69-75

Vanadate

Leitz T, Wirth A

Vanadate, known to interfere with signal transduction, induces metamorphosis in *Hydractinia* (Coelenterata; Hydrozoa) and causes profound alterations of the larval and postmetamorphic body pattern, 47:119–127

Vascular smooth muscle

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Vessel

Hultgårdh-Nilsson A, Krondahl U, Querol-Ferrer V, Ringertz NR Differences in growth factor response in smooth muscle cells isolated from adult and neonatal rat arteries, 47:99–105

Vimentin

Lifschitz-Mercer B, Fogel M, Moll R, Jacob N, Kushnir I, Livoff A, Waldherr R, Franke WW, Czernobilsky B

Intermediate filament protein profiles of human testicular nonseminomatous germ cell tumors: Correlation of cytokeratin synthesis to cell differentiation, 48:191–198

Lipton BH, Bensch KG, Karasek MA

Microvessel endothelial cell transdifferentiation: phenotypic characterization, 46:117-133

Schaart G, Pieper FR, Kuijpers HJH, Bloemendal H, Ramaekers FCS

Baby hamster kidney (BHK-21/C13) cells can express striated muscle type proteins, 46:105-115

Visceral yolk sac

Redemann-Fibi B, Schuermann M, Müller R

Stage and tissue-specific expression of fosB during mouse development, 46:43-49

Vitamin D

Kiyama H, Wu JCY, Smith MW, Lawson EDM, Emson PC Developmental control over vitamin-D-induced calbindin gene expression during early differentiation of chicken jejunal enterocytes, 46:69–75

Vitamin D₃

Regnier M, Darmon M

1,25-Dihydroxyvitamin D₃ stimulates specifically the last steps of epidermal differentiation of cultured human keratinocytes, 47:173–188

Xanthine dehydrogenase

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69-75

Xanthine oxidase

Reiners JJ Jr., Rupp T, Conti CJ

Modulation of xanthine dehydrogenase and oxidase activities during the hormonal induction of vaginal epithelial differentiation in ovariectomized mice, 47:69–75

Xenopus

Robert J, Du Pasquier L, Kobel HR

Differential expression of creatine kinase isozymes during development of *Xenopus laevis*: An unusual heterodimeric isozyme appears at metamorphosis, 46:23–34

Winning RS, Bols NC, Heikkila JJ

Tunicamycin-inducible polypeptide synthesis during Xenopus laevis embryogenesis, 46:167–172

